
199.-19.

LUPTON

DISPLAY & STORAGE EQUIPMENT

CA HANDBOOK of Steel Shelving Sections






MAY 29 120

LUPTON

DISPLAY & STORAGE EQUIPMENT



CATALOGUE C-174

Copyright, 1926, David Lupton's Sons Co.



Making it easy to buy Standard Shelving Sections

STEEL SHELVING, through modern methods of manufacture, has steadily declined in price, until it now costs little more than wooden shelving and, in the form of Lupton Standardized Sections stocked by your local dealer, it has become actually easier to buy and install.


Lupton Standardized Sections of shelving and counter can be combined in hundreds of ways. The sections illustrated in this book are those which use has shown to be the most popular.

Almost any desired arrangement of shelving and counter to meet practically any storage or display requirement may be built of the sections shown. Installations may be added to, a section or more at a time, and may be changed or adjusted as often as necessary. Sections may be dismantled for moving without loss or injury.

Lupton bin and shelving Sections are not only adaptable and interchangeable; they also combine strength, gracefulness and rigidity. They are of sound engineering design and are available at a price in comparison with which wooden equipment is expensive indeed.

As to construction, workmanship and finish, the Lupton trademark is a well-recognized guarantee of the satisfactory performance of any steel product that bears it.

DAVID LUPTON'S SONS COMPANY PHILADELPHIA—CHICAGO



Main Office and Plant-David Lupton's Sons Company, Philadelphia

A LUPTON STANDARD SECTION FOR EVERY PURPOSE

THE five standard types of shelving and counter described below will be found suitable in varying combinations for practically every kind of storage or display. Whether you wish to store machinery or mattresses; canned goods or clothing; steam fittings or sheet music; whether you are a


manufacturer, assembler, wholesaler or retail dealer; whether you have an automobile plant or small store to outfit with shelving, you will find Lupton Standard Sections kept in stock that will fit your needs and be priced within your means. The finish on all Lupton equipment is a rich velvet-green enamel, oven-baked

Bin Type



Bin type shelving is recommended for a stock, each item of which requires a complete self-contained compartment. Uprights and backs are solid sheet steel; partitions to subdivide compartments may be added, as well as bin-fronts, card-holders, doors, counter-extensions and drawers. Details on pages 6 to 14.

Rack Type



Rack type shelving consists of an open arrangement of skeleton uprights and reinforced shelves, particularly suited for packages or boxes, and other large or irregular shaped items which do not require individual compartments. Standard Sections and details are described on pages 15 to 18.

Unit Type



Each unit is an individual cabinet 3 ft. wide, 1 ft. deep and 7 ft. high, particularly adapted for storing small parts such as bolts and nuts. Units are shipped set up and ready to use.

Width of compartments is in multiples of 2", from 4" to 36" and spaces between shelves from 4½" up. Bin-fronts and card-holders are integral with the shelves. A wide choice of standard units of varying arrangement of bins and shelves is shown on pages 19 to 23.


Display Type



Display type shelving is lighter and of a more refined appearance than ordinary factory shelving and is widely used in retail stores. Shelves are adjustable and the parts may be dismantled for moving without injury. A handsome molded cornice is furnished for the top and a solid base at the bottom. Special end panels furnished for each end of a row further enhance the appearance of this attractive shelving.

For further details, see pages 24,25 and 31

Steel Showcase and Counter



The Lupton Steel Display Counter is a 100% combination of serviceability and display value. It is sturdy, graceful, practically indestructible, and displays its contents attractively for sale. As shown, inside and outside corners may be had, and where display is not needed, steel fronts, partitions and doors may be added to form plain storage counter. Single, end, and intermediate units are all 3 feet long and are readily interchangeable to suit any floor plan.

Complete description of Lupton Showcase and Counter with stock sizes will be found on pages 26 and 27.

LUPTON BIN TYPE SHELVING

How to Select the Correct Sections for Your Needs




Fig. 1

Basic Parts

Uprights, Back and Shelves.

Illustrations on this and the opposite page show Bin Type Shelving and make clear the difference between "Starting" and "Additional" Sections and "Single Faced" and "Double Faced" Sections, as referred to in the following pages.

Each Section consists of the necessary uprights and shelves, etc., to build 3 ft. of shelving. In each row of shelving only the first Section is a Starting Section.

Dividers and other parts to form bins or compartments of the exact size, shape and location desired may be added to the basic parts shown in Figure 1. Three depths—12", 18", and 24"—are quoted for each bin arrangement.




Fig. 2
Starting Section, Single
Faced Assembled of Basic Parts
shown in Fig. 1, Plain Shelves.





Fig. 3
Starting Section,
Single Faced. This illustration shows a starting section with Dividers or Partitions added to form more
compartments.

Any sections of the same height and depth may be connected by bolting together to form an assembly. By selecting the sections best suited to your needs you can start as modestly as you choose and add to your installation as becomes necessary.

By the addition or replacement of a few parts any of the sections shown on the following pages may be converted to any other section of the same depth.

You have only to select the height, depth and bin arrangement best suited to your requirements and you can then easily erect your shelving upon delivery as shown in the illustrations or in any different arrangement which may recommend itself to you.



Additional Section
Right, an Additional Section, Single Faced. Additional Sections may be any sections of the same depth and height. They are the same as the starting sections except for the omission of one upright.

ALL LUPTON SECTIONS (except Unit Type) ARE SHIPPED KNOCKED DOWN AND CRATED with necessary bolts and nuts and erection instructions. An open-end or socket wrench and screw driver are the only tools needed and the operation is so simple that it can be performed by anyone.

Double Faced Arrangement of Sections


When sections are placed in the center of the room in *Double Faced* or back-to-back arrangement, the back of the first unit may be used for two sections.

Any two sections of the same height may be placed back-to-back in this way.

The Starting Section, Double Faced, is the same as the Starting Section, Single Faced, except for the omission of the back.

An Additional Section, Double Faced, as shown, requires no back and only one upright.

If in doubt as to the correct number of different sections required, send us a rough sketch showing the proposed floor plan and we will then select and ship the proper Starting and Additional, Single and Double Faced Sections.



LUPTON BUILDS STRENGTH INTO SHELVING


by the "column and girder" construction

REINFORCEMENTS are scientifically built into the uprights and shelves to prevent buckling or distortion even under the heaviest loads. The upright is a solid sheet of steel, molded at the front into a "T" inside of which is permanently enclosed a flat reinforcing bar of carbon steel. The effect is a T-bar construction of great stiffness.

The front edge of the shelf is similarly reinforced with an enclosed 1" channel spanning the entire width and bolted securely to the upright.

Strength of the kind required is concentrated where it is most needed and without the waste of space.

The upright is flanged and bolted to the back, which is a flat steel sheet punched for the attachment of shelves. Shelves are also bolted to the back as well as to the upright. This forms a "column and girder" construc-




tion using the steel most economically and without unnecessary thickness of vertical or horizontal members.

Shelves and uprights are shipped with reinforcing members built in and erection is reduced to a few simple operations.

Shelf adjustment (vertical) is on $1\frac{1}{2}$ " centers. Divider adjustment (horizontal) is on 3" centers.

ATTACHMENTS FOR BIN SECTIONS



View from beneath showing left end of shelf. Detail of bin front and card holder attachment.

Fig. 7

Bin Fronts and Card Holders

DIN Fronts, used to form Bins for contents that D might otherwise roll out, are 1 1/2", 3" and 6" high. They may be added to or removed when desired without disturbing shelves or dividers.

Card holders, as shown may be attached to the Bin Fronts-or, if no Bin Fronts are used, to the Shelf Front, and are used to index contents of bins. For prices, see page 14.



Fig. 8

Drill and Reamer Rack

For drills, reamers, arbors, etc. Contains 120 inclined compartments, 6 bins 12x9 and 18 drawers 6x3x12. Each compartment and drawer is indexed. Five inch solid base.

Dimensions: 3 ft. wide, 1 ft. deep, 8 ft. high. May be assembled with any section of same depth and height.

PRICE	
Starting Section No. 611	\$83.00
Additional Section No. 612.	79.10



Fig. 9

Counter Extension

Lupton Counter Extension or ledge is 39" high and 9" deep. It may be added to any Bin Type Section. It serves the multiple purpose of


- 1. A runway to walk on when shelving is 10 ft. high.
- 2. Providing two depths in one row of shelving.
- 3. A rest for containers of small parts while they are being loaded or emptied.

Uprights, Shelves and Dividers used in Counter Extensions are built to line up clear thru with the Sections behind, and to make a strong workmanlike job. Counter extensions are convenient in certain installations but being somewhat wasteful of floor space are not recommended unless a real need for them exists.

Prices Counter Extensions

Sections	Description	Cat. No.	Price	Ship. Wt.
5-6-15-16	Start Section	399	\$10.50	58
	Add'l Section	400	8.60	49
4-7-8-32	Start Section	283	9.10	49
	Add'l Section	284	7.20	40
19-20-26-33-34-35-36	S. Start Section	399A	11.82	64
	Add'l Section	400A	10.92	55
18-21-22-25-27-28-31	Start Section	283A	10.14	54
	Add'l Section	284A	8.24	45
12-14	Start Section	285	13.14	67
	Add'l Section	286	11.24	58
23-24-29-30-37-38	Start Section	399B	11.90	69
	Add'l Section	400B	10.00	60


BIN TYPE SHELVING IN USE




ETROPOLITAN
Edison Company,
Reading, Pa. Here large
bins provide for the storage of bulky and heavy
parts, and Bin Dividers,
added to the upper
shelves, take care of the
storage of smaller parts.
Counter Extensions increase the storage capacity, as well as provide
means of reaching upper
shelves without ladders.



THE wholesaler whose quantities are large, particularly if of hardware or heavy merchandise, finds Lupton Bin Type Shelving, with or without counter extension, ideally suited to his needs. Appearance is not sacrificed to secure strength.




Depth	12"	18"	24"
Starting Section No. Single Faced	431	436	533
	\$22.50	\$29.30	\$38.00
	124 lbs.	191 lbs.	250 lbs.
Additional Section No. Single Faced	432 \$18.60 99 lbs.	437 \$23.00 149 lbs.	534 \$30.10 192 lbs.
Starting Section No. Double Faced	433	438	535
	\$15.90	\$22.70	\$31.40
	79 lbs.	146 lbs.	205 lbs.
Additional Section No. Double Faced	434	439	536
	\$12.00	\$16.40	\$23.50
	54 lbs.	104 lbs.	151 lbs.




Depth	12"	18"	24"
Starting Section No. Single Faced	335	339	343
	\$27.10	\$36.10	\$46.50
	172 lbs.	235 lbs.	306 lbs.
Additional Section No. Single Faced	336	340	344
	\$22.50	\$28.20	\$36.70
	144 lbs.	183 lbs.	242 lbs.
Starting Section No. Double Faced	337	341	345
	\$19.00	\$27.90	\$38.30
	117 lbs.	180 lbs.	249 lbs.
Additional Section No. Double Faced	338	342	346
	\$14.40	\$20.00	\$28.50
	87 lbs.	128 lbs.	185 lbs.


Style No. 2 (10' high) 4 Bins 36x34; 1 Bin 36x21



Depth	12"	18"	24"
Starting Section No. Single Faced	247 \$24.10 154 lbs.	251 \$31.30 204 lbs.	255 \$41.10 270 lbs.
Additional Section No. Single Faced	248 \$20.20 129 lbs.	252 \$25.00 161 lbs.	256 \$33.20 212 lbs.
Starting Section No. Double Faced	249 \$17.50 109 lbs.	253 \$24.70 159 lbs.	257 \$34.50 225 lbs.
Additional Section No. Double Faced	250 \$13.60 84 lbs.	254 \$18.40 116 lbs.	258 \$26.60 171 lbs.




Depth	12"	18"	24"
Starting Section No. Single Faced	359	363	367
	\$30.30	\$40.10	\$52.70
	190 lbs.	261 lbs.	346 lbs.
Additional Section No. Single Faced	360	364	368
	\$25.70	\$32.20	\$42.90
	164 lbs.	209 lbs.	282 lbs.
Starting Section No. Double Faced	361	365	369
	\$22.20	\$31.90	\$44.50
	139 lbs.	206 lbs.	289 lbs.
Additional Section No. Double Faced	362	366	370
	\$17.50	\$24.00	\$34.70
	107 lbs.	159 lbs.	225 lbs.



Style No. 5 (8' high) 7 Bins 36x12; 1 Bin 36x19 24" 375 \$28.90 184 lbs. 243 lbs. 330 lbs. \$31.00


Starting Section No.
Single Faced 384 \$42.50 278 lbs. Additional Section No.
Single Faced 376 380 \$25.00 \$31.00 159 lbs. 201 lbs. Starting Section No.

Double Faced 377N \$22.30 139 lbs. 385N 381N \$30.70 \$43.80 198 lbs. 285 lbs. 198 lbs. 378N 382N 386N \$18.40 \$24.40 \$35.90 114 lbs. 156 lbs. 233 lbs. Additional Section No.
Double Faced




Style No. 6 (10' high) 9 Bins 36x12; 1 Bin 36x9

Depth	12"	18"	24"
Starting Section No. Single Faced	387 \$35.10 222 lbs.	391 \$46.10 300 lbs.	395 \$62.00 406 lbs.
Additional Section No. Single Faced	388 \$30.50 194 lbs.	392 \$38.20 248 lbs.	396 \$52.20 342 lbs.
Starting Section No. Double Faced	389N \$27.00 167 lbs.	393N \$37.90 245 lbs.	397N \$53.80 349 lbs.
Additional Section No. Double Faced	390N \$22.30 137 lbs.	394N \$30.00 193 lbs.	398N \$44.00 285 lbs.



Style No. 7 (8' high) 2 Bins 36x18; 4 Bins 36x12;


		1 Bir	36x9
Depth	12"	18"	24"
Starting Section No. Single Faced	271 \$27.30 174 lbs.	275 \$35.30 223 lbs.	279 \$47.30 310 lbs.
Additional Section No. Single Faced	272 \$23.40 149 lbs.	276 \$29.00 181 lbs.	280 \$39.40 258 lbs.
Starting Section No. Double Faced	273 \$20.70 129 lbs.	277 \$28.70 178 lbs.	281 \$40.70 268 lbs.
Additional Section No. Double Faced		278 \$22.40 136 lbs.	282 \$32.80 212 lbs.




Depth	12"	18"	24"
Starting Section No. Single Faced	235	239	243
	\$33.50	\$44.10	\$58.90
	202 lbs.	287 lbs.	386 lbs.
Additional Section No. Single Faced	236 \$28.90 174 lbs.	240 \$36.20 235 lbs.	244 \$49.10 322 lbs.
Starting Section No. Double Faced	237	241	245
	\$25.40	\$35.90	\$50.70
	147 lbs.	232 lbs.	329 lbs.
Additional Section No. Double Faced	238	242	246
	\$20.70	\$28.00	\$40.90
	117 lbs.	180 lbs.	265 lbs.



		1 Bii	n 30x9
Depth	12"	18"	24"
Starting Section No. Single Faced	247	251	255
	\$24.10	\$31.30	\$41.10
	154 lbs.	204 lbs.	270 lbs.
Additional Section No. Single Faced	248 \$20.20 129 lbs.	252 \$25.00 161 lbs.	256 \$33.20 212 lbs.
Starting Section No. Double Faced	249	253	257
	\$17.50	\$24.70	\$34.50
	109 lbs.	159 lbs.	225 lbs.
Additional Section No. Double Faced	260	254	258
	\$13.60	\$18.40	\$26.60
	84 lbs.	116 lbs.	171 lbs.




Depth	12"	18"	24"
Starting Section No. Single Faced	347 \$28.70 182 lbs.	351 \$38.10 248 lbs.	355 \$49.60 325 lbs.
Additional Section No. Single Faced	348 \$24.10 154 lbs.	352 \$30.20 196 lbs.	356 \$39.80 261 lbs.
Starting Section No. Double Faced	349 \$20.60 126 lbs.	353 \$29.90 245 lbs.	357 - \$41.40 349 lbs.
Additional Section No. Double Faced	350 \$16.90 97 lbs.	354 \$22.00 193 lbs.	358 \$31.60 285 lbs.




Style No. 11 (8' high) 1 Bin 36x12; 9 Bins 36x9

Depth	12'	18"	24"
Starting Section No. Single Faced	311 \$32.10 204 lbs.	315 \$41.30 276 lbs.	319 \$56.50 370 lbs.
Additional Section No. Single Faced	312 \$28.20 179 lbs.	316 \$35.00 234 lbs.	320 \$48.60 318 lbs.
Starting Section No. Double Faced	313 \$25.50 159 lbs.	317 \$34.70 231 lbs.	321 \$49.90 325 lbs.
Additional Section No. Double Faced	314 \$21.60 134 lbs.	318 \$28.40 184 lbs.	322 \$42.00 273 lbs.



Depth	12"	18"	24"
Starting Section No. Single Faced	323 \$39.90 212 lbs.	327 \$52.10 339 lbs.	331 \$71.30 466 lbs.
Additional Section No. Single Faced	324 \$35.30 184 lbs.	328 \$44.20 277 lbs.	332 \$61.50 402 lbs.
Starting Section No. Double Faced	325 \$31.80 157 lbs.	329 \$43.90 284 lbs.	333 \$63.10 409 lbs.
Additional Section No. Double Faced	326 \$27.10 127 lbs.	330 \$36.00 242 lbs.	334 \$53.30 345 lbs.



Style No. 13 (8' high) 1 Bin 36x10¹/₂; 11 Bins 36x7¹/₂

S		
		S
	Depth	12" 1

Style No. 15 (8' high) 4 Bins 36x12; 5 Bins 36x9


IT	
	1
	1
	-/
	U
Donth	1 19"

Style No. 17 (8' high) 8 Bins 18x18 2 Bins 18x21

Depth	12"	18"	24"
Starting Section No. Single Faced	766	793	855
	\$35.30	\$45.30	\$62.80
	224 lbs.	295 lbs.	410 lbs.
Additional Section No. Single Faced	767 \$31.40 199 lbs.	794 \$39.00 253 bs.	856 \$54.90 358 lbs.
Starting Section No. Double Faced	768	795	857
	\$28.70	\$38.70	\$56.20
	180 lbs.	250 lbs.	365 lbs.
Additional Section No. Double Faced	769	796	858
	\$24.80	\$32.40	\$48.30
	154 lbs.	209 lbs.	318 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	290 \$30.50 194 lbs.	294 \$39.30 256 lbs.	298 \$53.50 350 lbs.
Additional Section No. Single Faced	291 \$26.60 159 lbs.	295 \$33.00 204 lbs.	299 \$45.60 298 lbs.
Starting Section No. Double Faced	292 \$23.90 139 lbs.		300 \$46.90 315 lbs.
Additional Section No. Double Faced	293 \$20.00 124 lbs.	297 \$26.40 180 lbs.	301 \$39.00 253 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	247A \$26.90 169 lbs.	251A \$34.30 224 lbs.	255A \$45.30 296 lbs.
Additional Section No. Single Faced	248A \$23.00 144 lbs.	252A \$28.00 181 lbs.	256A \$37.40 238 lbs.
Starting Section No. Double Faced	249A \$20.30 124 lbs.	253A \$27.70 149 lbs.	257A \$38.70 251 lbs.
Additional Section No. Double Faced	250A \$16.40 99 lbs.	254A \$21.40 119 lbs.	258A \$30.80 197 lbs.



Style !	No.	14
(10'		
4 Bin		
	36x6	
10 Bins	30X/	1/2

	Stv	,1
Depth	Sty (1 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	_

Style	No.	16
(10'		
	s 36x1	
8 Bins	s 36x9	


,
-

Style No. 18 (10' high) 12 Bins 18x18; 2 Bins 18x9


Depth	12"	18"	24"
Starting Section No. Single Faced	859	871	875
	\$43.10	\$56.10	\$77.50
	273 lbs.	365 lbs.	505 lbs.
Additional Section No. Single Faced			876 \$67.70 441 lbs.
Starting Section No. Double Faced	861	873	877
	\$35.00	\$47.90	\$69.30
	216 lbs.	309 lbs.	448 lbs.
Additional Section No. Double Faced	862	874	878
	\$30.30	\$40.00	\$59.50
	187 lbs.	258 lbs.	384 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	259 \$38.30 240 lbs.	263 \$50.10 326 lbs.	267 \$68.20 446 lbs.
Additional Section No. Single Faced	260 \$33.70 214 lbs.	264 \$42.20 274 lbs.	268 \$58.40 382 lbs.
Starting Section No. Double Faced		265 \$41.90 271 lbs.	269 \$60.00 389 lbs.
Additional Section No. Double Faced	262 \$25.50 157 lbs.	266 \$34.00 219 lbs.	270 \$50.20 3 25 lbs.


	~	AL WALLES	
Depth	12"	18"	24"
Starting Section No. Single Faced		363A \$44.04 287 lbs.	367A \$58.16 379 lbs.
Additional Section No. Single Faced		364A \$36.14 235 lbs.	368A \$48.36 315 lbs.
Starting Section No. Double Faced	261 A \$26.82 139 lbs.	365A \$35.84 224 lbs.	369A \$49.96 322 lbs.
Additional Section No. Double Faced	362A \$21.12 107 lbs.	366A \$27.94 182 lbs.	370A \$40.16 258 lbs.



Style No. 19 (8' high) 14 Bins 18x12; 2 Bins 18x9



Style No. 21 (8' high) 4 Bins 18x18; 12 Bins 12x12; 3 Bins 12x9




Style No. 23 (8' high) 21 Bins 12x12; 3 Bins 12x9

Depth	12"	18"	24"
Starting Section No. Single Faced	375A	379A	383A
	\$31.40	\$40.44	\$54.46
	196 lbs.	260 lbs.	353 lbs.
Additional Section No. Single Faced	376A \$27.50 171 lbs.	380A \$34.14 218 lbs.	384A \$46.56 301 lbs.
Starting Section No. Double Faced	377A	381A	385A
	\$24.80	\$33.84	\$47.86
	151 lbs.	215 lbs.	308 lbs.
Additional Section No. Double Faced	378A	382A	386A
	\$20.90	\$27.54	\$39.96
	126 lbs.	174 lbs.	256 lbs.

Depth	12'	18"	24"
Starting Section No. Single Faced	271A \$31.50 1 9_lbs.	275A \$40.38 251 lbs.	279A \$53.98 349 lbs.
Additional Section No. Single Faced	272A \$27.60 180 lbs.	276A \$34.08 209 lbs.	280A \$46.08 300 lbs.
Starting Section No. Double Faced	273A \$24.90 150 lbs.	277A \$33.78 206 lbs.	281A \$47.38 313 lbs.
Additional Section No. Double Faced	274A \$21.00 115 lbs.	278A \$27.48 164 lbs.	282A \$39.48 256 lbs.

Depth	12'	18"	24"
Starting Section No. Single Faced	375B \$33.90 209 lbs.	379B \$43.58 277 lbs.	383B \$58.52 376 lbs.
Additional Section No. Single Faced	376B \$30.00 184 lbs.	380B \$37.28 235 lbs.	384B \$50.62 324 lbs.
Starting Section No. Double Faced	377B \$27.30 164 lbs.	381B \$36.98 236 lbs.	385B \$51.93 331 lbs.
Additional Section No. Double Faced	378B \$23.40 141 lbs.	382B \$30.28 191 lbs.	386B \$44.02 276 lbs.



Style No. 20 (10' high) 18 Bins 18x12; 2 Bins 18x9

Denth	 12"

Style No. 22 (10' high) 4 Bins 18x18; 18 Bins 12x12; 3 Bins 12x9


1

Style No. 24 (10' high) 27 Bins 12x12; 3 Bins 12x9


Depth	12"	18"	24"
Starting Section No. Single Faced	387A	391A	395A
	\$38.24	\$50.04	\$67.10
	238 lbs.	322 lbs.	435 lbs.
Additional Section No. Single Faced	388A \$33.64 210 lbs.	392A \$42.14 270 lbs.	396A \$57.30 371 lbs.
Starting Section No. Double Faced	389A	393A	397A
	\$30.14	\$41.84	\$58.90
	183 lbs.	267 lbs.	378 lbs.
Additional Section No. Double Faced	390A	394A	398A
	\$25.44	\$33.94	\$49.10
	153 lbs.	215 lbs.	314 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	235A \$38.72 237 lbs.	239A \$50.44 318 lbs.	243A \$67.20 435 lbs.
Additional Section No. Single Faced	236A \$34.12 209 lbs.	240A \$42.54 271 lbs.	244A \$57.44 371 lbs.
Starting Section No. Double Faced	237A \$30.62 174 lbs.	241 A \$42.24 273 lbs.	245A \$59.08 378 lbs.
Additional Section No. Double Faced	238A \$26.16 152 lbs.	242A \$34.34 216 lbs.	246A \$49.24 314 lbs.


Depth	12"	18"	24"
Starting Section No. Single Faced	387B \$41.38 253 lbs.	391B \$53.98 343 lbs.	395B \$72.20 462 lbs.
Additional Section No. Single Faced	388B \$36.78 225 lbs.	392B \$46.08 291 lbs.	396B \$62.40 398 lbs.
Starting Section No. Double Faced	389B \$33.28 198 lbs.	393B \$45.78 288 lbs.	397B \$64.00 405 lbs.
Additional Section No. Double Faced	390B \$28.58 168 lbs.	394B \$37.88 236 lbs.	398B \$54.20 341 lbs.



Style No. 25
(8' high)
4 Bins 18x18
6 Bins 12x12
12 Bins 9x9
4 Bins 9x6



Style No. 27 (8' high) 4 Bins 18x18 3 Bins 12x12 3 Bins 12x9 36 Bins 6x6




Style No. 29 (8' high) 12 Bins 12x12; 20 Bins 9x9

Depth	12"	18"	24"
Starting Section No. Single Faced	375C \$34.30 212 lbs.	379C \$43.94 279 lbs.	383C \$58.99 358 lbs.
Additional Section No. Single Faced	376C \$30.40 187 lbs.	380C \$37.64 237 lbs.	384C \$51.09 310 lbs.
Starting Section No. Double Faced	377C \$27.70 167 lbs.	381C \$37.34 234 lbs.	385C \$52.39 337 lbs.
Additional Section No. Double Faced	378C \$23.80 142 lbs.	382C \$30.64 193 lbs.	386C \$44.49 265 lbs.


Depth	12"	18"	24"
Starting Section No. Single Faced	311A \$40.98 242 lbs.	315A \$51.98 321 lbs.	319A \$70.56 455 lbs.
Additional Section No. Single Faced	312A \$37.08 212 lbs.	316A \$45.48 279 lbs.	320A \$62.66 402 lbs.
Starting Section No. Double Faced	313A \$34.38 216 lbs.	317A \$38.98 276 lbs.	321A \$63.96 315 lbs.
Additional Section No. Double Faced	314A \$30.48 206 lbs.	318A \$32.88 229 lbs.	322A \$56.06 308 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	290A	294A	298A
	\$36.96	\$47.60	\$63.96
	226 lbs.	299 lbs.	392 lbs.
Additional Section No. Single Faced	291A \$33.06 191 lbs.	295A \$41.30 257 lbs.	299A \$56.06 342 lbs.
Starting Section No. Double Faced	292A	296A	300A
	\$30.36	\$41.00	\$57.36
	151 lbs.	254 lbs.	347 lbs.
Additional Section No. Double Faced	293A	297A	301A
	\$26.46	\$34.70	\$49.46
	130 lbs.	213 lbs.	293 lbs.



Style No. 26
(10' high)
6 Bins 18x12 9 Bins 12x12
20 Bins 9x9

9 Bins 12 20 Bins 9				
Depth	12"	18"	24"	
Starting Section No. Single Faced	566A \$43.48 274 lbs.	570A \$56.80 365 lbs.	574A \$76.08 486 lbs.	
Additional Section No. Single Faced	567A \$38.88 246 lbs.	571A \$48.90 313 lbs.	575A \$66.28 422 lbs.	
Starting Section No. Double Faced	\$35.38	572A \$48.60 310 lbs.	576A \$67.88 429 lbs.	
Additional Section No. Double Faced	\$30.68	573A \$40.70 258 lbs.		




Depth	12"	18"	24'
Starting Section No. Single Faced	323A \$51.62 261 lbs.	327A \$65.98 417 lbs.	331A \$89.90 555 lbs.
Additional Section No. Single Faced		328A \$58.08 365 lbs.	332A \$80.10 489 lbs.
Starting Section No. Double Faced		329A \$57.78 362 lbs.	333A \$81.70 494 lbs.
Additional Section No. Double Faced	326A \$38.82 127 lbs.	330A \$49.88 258 lbs.	334A \$71.90 432 lbs.


		I	-	T	1	T	1
				1			1
		1	1	4	1	1	
		7	-	4	_	1	
				7			
		T		7		4	
	1	1					
	1						
	1						
	1	_	_		_	1	
	1	_			_		
	+	_		4	\leq	4	
-	-		1		/	1	
	+	_		/		=	
/	1	,	/		/	1	/
	1	/		/			/

Style No. 30 (10' high) 18 Bins 12x12; 20 Bins 9x9


Depth	12"	18"	24"
Starting Section No. Single Faced		570B \$66.70 407 lbs.	574B \$88.62 555 lbs.
Additional Section No. Single Faced		571B \$58.80 355 lbs.	575B \$78.82 491 lbs.
Starting Section No. Double Faced		572B \$58.50 309 lbs.	576B \$80.42 429 lbs.
Additional Section No. Double Faced	569B \$38.42 189 lbs.	573B \$50.60 258 lbs.	577B \$70.62 365 lbs.



Style No. 31 (8' high) 4 Bins 18x18; 8 Bins 18x12; 2 Bins 18x9



Style No. 33 (8' high) 6 Bins 18x12; 3 Bins 12x12; 15 Bins 9x9




Style No. 35
(8' high)
6 Bins 18x12;
6 Bins 12x12;
16 Bins 9x6;
4 Bins 9x9


Depth	12"	18"	24"
Starting Section No. Single Faced	271B	275B	279B
	\$29.96	\$38.44	\$51.48
	189 lbs.	244 lbs.	335 lbs.
Additional Section No. Single Faced	272B	276B	280B
	\$26.06	\$32.14	\$43.58
	174 lbs.	202 lbs.	283 lbs.
Starting Section No. Double Faced	273B	277B	281B
	\$23.36	\$31.84	\$44.88
	134 lbs.	171 lbs.	290 lbs.
Additional Section No. Double Faced	274B	278B	282B
	\$19.46	\$25.54	\$36.98
	109 lbs.	129 lbs.	237 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	290B	294B	298B
	\$34.70	\$44.70	\$60.30
	214 lbs.	284 lbs.	387 lbs.
Additional Section No. Single Faced	291B \$30.80 189 lbs.	295B \$38.40 242 lbs.	299B \$52.40 335 lbs.
Starting Section No. Double Faced	292B	296B	300B
	\$28.10	\$38.10	\$53.70
	169 lbs.	239 lbs.	342 lbs.
Additional Section No. Double Faced	293B	297B	301B
	\$24.20	\$31.80	\$45.80
	144 lbs.	198 lbs.	290 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	311B \$37.76 227 lbs.	315B \$46.68 315 lbs.	319B \$65.60 416 lbs.
Additional Section No. Single Faced	312B \$33.86 202 lbs.	316B \$40.38 273 lbs.	320B \$57.70 364 lbs.
Starting Section No. Double Faced	313B \$31.16 180 lbs.	317B \$40.28 270 lbs.	321B \$59.00 371 lbs.
Additional Section No. Double Faced	314B \$27.26 157 lbs.	318B \$33.78 223 lbs.	322B \$51.10 319 lbs.



Style No. 32 (10' high) 2 Bins 36x18; 2 Bins 18x9; 12 Bins 18x12



Style No. 34 (10' high) 6 Bins 18x12; 27 Bins 12x9


< 1	- I	
	V	
7		
	4	
-		
-		
/		
,		
/		
/	/	

Style No. 36 (10' high) 6 Bins 18x12 9 Bins 12x12 24 Bins 9x6 4 Bins 9x9

Depth	12"	18"	24"
Starting Section No. Single Faced	235B	239B	243B
	\$35.68	\$46.84	\$62.44
	223 lbs.	302 lbs.	406 lbs.
Additional Section No. Single Faced	236B	240B	244B
	\$31.08	\$38.94	\$52.64
	195 lbs.	250 lbs.	342 lbs.
Starting Section No. Double Faced	237B	241B	245B
	\$27.48	\$38.64	\$54.24
	168 lbs.	247 lbs.	349 lbs.
Additional Section No. Double Faced	238B	242B	246B
	\$22.88	\$30.74	\$44.44
	138 lbs.	195 lbs.	285 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	259A \$43.94 268 lbs.	263A \$57.42 363 lbs.	267A \$77.32 495 lbs.
Additional Section No. Single Faced	260A \$39.34 240 lbs.	264A \$49.52 311 lbs.	268A \$67.52 431 lbs.
Starting Section No. Double Faced	261A \$35.84 213 lbs.	265A \$49.22 308 lbs.	269A \$69.12 438 lbs.
Additional Section No. Double Faced	262A \$31.14 183 lbs.	266A \$41.32 256 lbs.	270A \$59.32 374 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	323B \$47.52 248 lbs.	327B \$61.40 346 lbs.	331B \$83.54 558 lbs.
Additional Section No. Single Faced	324B \$42.92 220 lbs.	328B \$53.50 294 lbs.	332B \$73.74 453 lbs.
Starting Section No. Double Faced	325B \$39.42 193 lbs.	329B \$53.20 291 lbs.	333B \$75.44 419 lbs.
Additional Section No. Double Faced	326B \$34.82 163 lbs.	330B \$45.30 239 lbs.	334B \$65.54 396 lbs.




Style No. 37 (8' high) 18 Bins 12x12 6 Bins 6x9 12 Bins 6x6

		4	
	/		/
1/			/

Style No. 39 (8' high) 3 Bins 36x18; 1 Bin 36x15; 4 Bins 18x12


Depth	12"	18"	24"
Starting Section No. Single Faced	290C	294C	298C
	\$37.84	\$48.40	\$58.12
	212 lbs.	300 lbs.	375 lbs.
Additional Section No. Single Faced	291C	295C	299C
	\$33.94	\$42.10	\$50.22
	197 lbs.	258 lbs.	320 lbs.
Starting Section No. Double Faced	292C	296C	300C
	\$31.24	\$41.80	\$51.52
	185 lbs.	255 lbs.	340 lbs.
Additional Section No. Double Faced	293C	297C	301C
	\$27.34	\$34.50	\$43.62
	160 lbs.	214 lbs.	290 lbs.

Depth	12"	18"	24"
Starting Section No. Single Faced	658	693	762
	\$26.34	\$34.10	\$45.24
	147 lbs.	187 lbs.	256 lbs.
Additional Section No. Single Faced	659 \$22.44 112 lbs.	694 \$27.80 145 lbs.	763 \$37.34 204 lbs.
Starting Section No. Double Faced	660	695	764
	\$19.74	\$27.50	\$38.64
	82 lbs.	142 lbs.	211 lbs.
Additional Section No. Double Faced	661	696	765
	\$15.84	\$21.20	\$30.74
	67 lbs.	101 lbs.	159 lbs.



Style No. 38 (10' high) 21 Bins 12x12 24 Bins 6x6 3 Bins 12x9

Depth	12"	18"	24"
Starting Section No. Single Faced		263B \$60.90 381 lbs.	267B \$82.68 528 lbs.
Additional Section No. Single Faced		264B \$53.00 329 lbs.	268B \$72.88 464 lbs.
Starting Section No. Double Faced		265B \$52.70 326 lbs.	269B \$74.48 471 lbs.
Additional Section No. Double Faced	262B \$34.38 216 lbs.		270B \$64.68 407 lbs.



Depth	12"	18"	24"
Starting Section No. Single Faced	347A	351A	355A
	\$29.34	\$38.90	\$63.04
	186 lbs.	224 lbs.	322 ibs.
Additional Section No. Single Faced	348A	352A	356A
	\$24.74	\$31.00	\$53.24
	157 lbs.	172 lbs.	272 lbs.
Starting Section No. Double Faced	349A	353A	357A
	\$21.24	\$30.70	\$54.84
	130 lbs.	169 lbs.	289 lbs.
Additional Section No. Double Faced	350A \$16.54 101 lbs.	354A \$22.80 117 lbs.	359A \$45.04 211 lbs.

BIN TYPE SECTIONS Price List for Parts

	UPRIC	HTS	
Cat. No. U-28 U-32 U-60 U-64 U-92 U-96	Size 12x96 12x120 18x96 18x120 24x96 24x120	Ship. Wt. 25 28.8 41.5 52 52 64	Price \$3.90 4.60 6.30 7.90 7.90 9.80
	BAC	KS	
B-60 B-64	36x96 36x120	45 56.5	6.60 8.20
	SHEL	VES	
S-32 S-34 S-36	36x12 36x18 36x24	9.8 12.7 20	1.60 2.00 3.10
	BIN DIV	IDERS	
BD-14 BD-16 BD-18 BD-20 BD-22 BD-40 BD-42 BD-44 BD-46 BD-48 BD-68 BD-70 BD-72 BD-72 BD-74 BD-74	6x12 9x12 12x12 15x12 18x12 6x18 9x18 12x18 15x18 18x18 9x24 12x24 15x24 15x24 24x24	1.2 1.6 1.9 3 1.7 2.2 2.8 4 2.2 3.7 5.2 1.6	.22 .26 .32 .44 .56 .26 .34 .40 .56 .60 .42 .52 .70 .82 1.02
	BIN FR	ONTS	
BF-22S BF-22 BF-24	1½x36 3x36 6x36	2 3.1 4.5	.50 .64 .82
	LABEL HO	OLDERS	
LH-4 LH-8	1x31 2x31	.36	.15

COUNTER EXTENSION

PRICE LIST FOR PARTS

UPRI	GHT	
Size 9x39	Ship.Wt. 8.5	Price \$1.60
TO	P	
36x9	14	2.70
SHEI	LVES	
36x9	8.3	1.40
ER EXTEN	ISION DIVIDE	RS
6x9 9x9 12x9 18x9	1.3 1.8 2.3	.28 .36 .44 .52
	Size 9x39 TO 36x9 SHEI 36x9 TER EXTEN 6x9 9x9	Size Ship.Wt. 8.5 TOP 36x9 14 SHELVES 8.3 TER EXTENSION DIVIDE 6x9 .9 9x9 1.3 1.8 1.8

SECTIONS 24" WIDE

These are "filler" sections used in connection with regular 36" sections to fill an exact space. Price is same as 36" section and shipment will be made from factory.

LUPTON RACK TYPE SHELVING

Strength without bulkiness—the secret of Lupton weight-carrying capacity


THIS type of Lupton Steel Shelving is furnished without sides or backs and is intended for use where conditions call for access to all sides of the shelving or where the material to be stored is such that it may extend into the adjacent sections.

Rack type shelving consists of skeleton uprights with plain shelves and necessary bracing. The upright or post is a T-bar, only I" wide, hot rolled from medium carbon steel and punched on I\frac{1}{2}" centers for attaching shelves. The shelves as shown below, have the front and back edges formed tightly and permanently over a specially rolled channel reinforcement. This makes the channel an integral part of the shelf, and prevents slippage or loosening of the shelf from its reinforcement. The channel being carried around the corner of the shelf as an "L" permits a strong joint between the reinforced shelf and the uprights.

Ends of shelves are flanged down and back for additional strength.

Cross-bracing prevents swaying. It may be attached at the most convenient point.

The same scientific column and girder construction is built into Lupton Rack Type Shelving as in Bin Type Shelving, combining great strength with economy of steel and space.



View from below showing how reinforced shelf is attached front and rear to T Upright.



Fig. 12

An assembly of Lupton Rack Type Shelving (shown above) consists of one Starting Section and as many Additional Sections as are desired, the Additional Sections being the same as the Starting Section except for the omission of two uprights.

Rack Type Shelving Sections are shipped knocked down with necessary bolts and nuts for erection. We furnish illustrated and easily followed directions for this simple operation. Finish is baked green enamel.


Standard Sizes

Rack Type Sections are 8' high, 24" deep and 3', 4' or 5' wide. (Inside width 35", 47" and 59".)

Shelves are 1" in thickness at front and may be placed as desired on 11/2" centers.

Safe load for shelf 36" width 1,000 pounds; for 48" width 450 pounds; for 60" width 350 pounds.


RACK TYPE SECTIONS



Style No. 41

Width 3 ft. Depth 2 ft. Height 8 ft. Five shelves, average spacing 24".


	Cat. No.	Price	Ship. Wt.
Starting Section	405	\$27.80	173 lbs.
Additional Section	406	21.20	134 lbs.



Style No. 43

Width 3 ft. Depth 2 ft. Height 8 ft. Six Shelves, average spacing 191/2".


Cat. No.	Price	Ship. Wt.
413	\$30.70	192 lbs.
414	24.10	153 lbs.
	413	



Style No. 45

Width 3 ft. Depth 2 ft. Height 8 ft. Seven Shelves, average spacing 131/2"


	Cat. No.	Price	Ship. Wt.
Starting Section	442	\$33.60	211 lbs.
Additional Section	443	27.00	171 lbs.



Style No. 47

Width 3 ft. Depth 2 ft. Height 8 ft. Nine Shelves, average spacing 12"

	Cat. No.	Price	Ship. Wt.
Starting Section	453	\$38.40	248 lbs.
Additional Section	454	31.80	209 lbs.




Style No. 49

Width 3 ft. Depth 2 ft. Height 8 ft. Eleven Shelves, average spacing 9"

	Cat. No.	Price	Ship. Wt
Starting Section	464	\$44.20	285 lbs.
Additional Section	465	37.60	246 lbs.

RACK TYPE SECTIONS Price List for Parts **UPRIGHTS** Ship. Wt. Lbs. Cat. No. Size Price 2x1x 96 2x1x120 \$2.90 3.50 T-45 18.5 23 T-61 SHELVES TS-36 TS-48 TS-60 36x24 48x24 60x24 18_7 25 37 2.90 3.90 5.60 BRACES AND GUSSETS TG-1 BB-5 Gussets ...55 Cross Braces, per pr. 3...2 Gussets .70


RACK TYPE SECTIONS



Style No. 42

Width 4 ft. Depth 2 ft. Height 8 ft. Five Shelves, average spacing 24".


	Cat. No.	Price	Ship. Wt.
Starting Section	418	\$32.80	202 lbs.
Additional Section	419	\$26.20	163 lbs.



Style No. 48

Width 4 ft. Depth 2 ft. Height 8 ft. Nine Shelves, Average spacing 12"


	Cat. No.	Price	Ship. Wt.
Starting Section	424	\$48.40	300 lbs.
Additional Section	425	\$41.80	261 lbs.



Style No. 46

Width 4 ft. Depth 2 ft. Height 8 ft. Seven Shelves, average spacing 131/2"


	Cat. No.	Price	Ship. Wt.
Starting Section	422	\$40.60	251 lbs.
Additional Section	423	\$34.00	212 lbs.



Style No. 44

Width 4 ft. Depth 2 ft. Height 8 ft. Six Shelves, average spacing 191/2".

	Cat. No.	Price	Ship. Wt.
Starting Section	420	\$36.70	227 lbs.
Additional Section	421	\$30.10	188 lbs.




Style No. 50

Width 4 ft. Depth 2 ft. Height 8 ft. Eleven Shelves, average spacing 9"

	Cat. No.	Price	Ship. Wt.
Starting Section	426	\$56.20	349 lbs.
Additional Section	427	\$49.60	310 lbs.


RACK TYPE SECTIONS



Style No. 51

Width 5 ft. Depth 2 ft. Height 8 ft. Five Shelves, average spacing 24"


	Cat. No.	Price	Ship. Wt.
Starting Section	468	\$41.30	267 lbs.
Additional Section	469	\$34.70	228 lbs.



Style No. 55

Width 5 ft. Depth 2 ft. Height 8 ft. Seven Shelves, average spacing 131/2"


	Cat. No.	Price	Ship. Wt.
Starting Section	562	\$52.50	342 lbs.
Additional Section	563	\$45.90	303 lbs.



Style No. 53

Width 5 ft. Depth 2 ft. Height 8 ft. Six Shelves, average spacing 191/2"


	Cat. No.	Price	Ship. Wt.
Starting Section	481	\$46.90	305 lbs.
Additional Section	482	\$40.30	266 lbs.



Style No. 59

Width 5 ft. Depth 2 ft. Height 8 ft. Eleven Shelves, average spacing 9"

	Cat. No.	Price	Ship. Wt.
Starting Section	595	\$74.90	492 lbs.
Additional Section	596	\$68.30	453 lbs.



Style No. 57

Width 5 ft. Depth 2 ft. Height 8 ft. Nine Shelves, average spacing 12"

	Cat. No.	Price	Ship. Wt.
Starting Section	588	\$63.70	417 lbs.
Additional Section	589	\$57.10	378 lbs.

LUPTON UNIT TYPE SHELVING

for the stock consisting of many small items a place for everything

THESE Units, which are shipped set up and ready to use, consist of individual cabinets each 3 ft. wide, 1 ft. deep and 7 ft. high. As shown in Unit No. 220, as many as 162 separate and individually indexed bins may be easily contained in only three square feet of floor space.

Upright fronts and divider fronts are tubular to avoid sharp edges. Bin front and label holder are integral with shelf and the shelf itself is reversible, if plain shelves rather than bins are wanted.

Shelves may be placed as desired on $1\frac{1}{2}$ in. centers vertically and are punched for 2 in. horizontal adjustment of dividers. The finish is two coats of velvet green enamel, sprayed on and baked.

These Units provide a very compact storage system with each item in its own labeled compartment and yet accessible and visible. Inventory is quick and accurate. Shortage and overages are less likely. Orders may be made up from them and incoming stock distributed into them in one-half the time usually required. Requisitions are assembled rapidly and correctly. There is no room for disorderliness in a Lupton steel unit.

Any unit except No. 150 (see page 20) will carry any load of metal parts that may be placed in it. Unit No. 230 is similar in dimensions to No. 150, except that it has reinforced shelves which will carry three times as heavy a distributed load as Unit No. 150. Units may be moved to another location without disturbing the contents, if necessary.

Sixteen varied arrangements of shelves and dividers give a wide field to choose from and fit practically any need. With its many arrangements and the fact that it requires no assembly, Lupton Unit Shelving is a popular type of steel shelving for almost any purpose.




Protects your goods, saves floor space and promotes economy

In the event that Units are to be put to other uses than were first intended, the shelves and dividers can be relocated by taking out a few bolts. A wrench and screw driver are the only tools needed. Additional shelves and dividers are easily procurable, if desired, to increase capacity of Units.

The output of Lupton Units, which has run into many thousands, has enabled us to reduce the price to a point that is actually less than that of wooden bins. If you have a stock of anything that is cranky to classify and store, whether it be printed matter, machine parts, fittings or bolts and nuts—in fact anything that consists of a great many small items—Lupton Units will save their initial cost in a few months.


UNIT TYPE SHELVING



Unit	No.	110
Price	\$45	.60

	6"	6"	6"	6"	6"	6
. 1						
9						
4/2						
44						
4/2						
4%						
6 4% 4% 4% 4% 6						
9						
9						
.21	1	-0"	1	0"	12	0"
12"						
3/12	-	1:6		I	1-6	1.7
6. 4% 4% 4%						
4.2						
9						

Shipping Weight, 210 lbs.
Contains 18 bins $6 \times 6''$; 30 bins $4\frac{1}{2} \times 6''$; 6 bins 12 x 12'';
4 bins $4\frac{1}{2} \times 18''$; 1 bin $4\frac{1}{2} \times 36''$; 1 bin $6 \times 36''$.




Unit	No.	120
Price	\$41	.60

	6.	6.	6	6	6"	6
9						
6 4% 4% 4% 6						
4/2						
4/2						
4%	_					
9						
7/2	_	-0-	12	0"	1	0.
77/2						
6						
0		2	2-0"		1-	0"
.e.		1-6			1:6	

Shipping Weight, 190 lbs.

Contains 18 bins $6 \times 6''$; 24 bins $4\frac{1}{2} \times 6''$; 6 bins $7\frac{1}{2} \times 12''$; 2 bins $9 \times 18''$; 1 bin $6 \times 24''$; 1 bin $6 \times 12''$; 2 bins 18 x 18"



Unit No. 130 Price \$51.00

	6.	6"	6.	6"	6"	6.
6				-		
4% 4% 4% 4% 4% 6						
4 4						
4%						
47/2						100
4%						
4%						
47/2						
475						
47.5						
1:0-		0.	1	0"	12	0"
2	-		1			
4/2						
475	4	1'-6	,-		1'-6	•
6" 41/2 41/2 41/2			-			
.0	-	- 1	5:-0-		1	-0"
.9						

Shipping Weight, 220 lbs. Contains 6 bins 6 x 6"; 54 bins 41/2 x 6"; 3 bins 12 x 12"; 6 bins 41/2 x 18"; 1 bin 6 x 24"; 1 bin 6 x 12"; 1 bin 6 x 36".

Articles Lupton Unit Shelving



BOLTS

ELECTROS AND CUTS

WIRING SUPPLIES

PRINTED MATTER

MACHINE PARTS

OFFICE SUPPLIES

PERIODICALS

PHOTOGRAPHIC SUPPLIES

PIPE FITTINGS

PLUMBING SUPPLIES

RADIO PARTS

SCHOOL AND BANK SUPPLIES

SHIPPING TAGS AND STENCILS

SORTED MAIL


SMALL PACKAGE GOODS


STATIONERY

UPHOLSTERING SUPPLIES

VARIETY MERCHANDISE

	6	6.	6'	6"	6.	6"
6						
7/2- 6-						
12.						
12"	1	1-0"		1-0"		0"
-2-						
6. 472						
9						
6	-	1'-6"		-	1-6	
6						





Unit No. 140 Price \$34.80


Shipping Weight, 175 lbs.
Contains 12 bins $6 \times 6''$; 3 bins $7\frac{1}{2} \times 12''$; 9 bins 12 × 12''
2 bins $4\frac{1}{2} \times 18''$; 2 bins $6 \times 18''$; 4 bins $9 \times 18''$.


	3:-0"
6	
6	
ò	
6	
6	
-6	
-6	
6	
12-	



Unit No. 150 \$20.60 Unit No. 230 \$32.20

Shipping Weights Unit No. 150-150 lbs.; Unit No. 230-160 lbs. Contains 8 shelves on 9-inch clearance; 12-inch clearance between bottom of unit and lower shelf. Unit No. 230 has reinforced shelves to carry a distributed load of 300 lbs. Shelves of the No. 150 Unit each carry a 100-lb. load.






Unit No. 160 Price \$57.60


Shipping Weight, 250 lbs. Contains 12 bins 6 x 6"; 96 bins 41/2 x 6".

UNIT TYPE SHELVING



Unit No. 170 Price \$47.00


Shipping Weight, 210 lbs. Contains 18 bins $6 \times 6''$; 30 bins $4^{1/2} \times 6''$; 10 bins $4^{1/2} \times 18''$; 2 bins $6 \times 18''$; 2 bins $15 \times 18''$.



Unit No. 180 Price \$45.60

	6	6'	6	6"	6.	6
0						
4/2						
4/2 4/2 4/2 4/2 4/2 4/2						
4/2						
41/2						
4%						
47/						
[ق						
7/2						
.6	1-(D"	1'-	0"	1'-(0"
101						
1.0-						


Shipping Weight, 205 lbs. Contains 12 bins $6 \times 6''$; 42 bins $4\frac{1}{2} \times 6''$; 3 bins $7\frac{1}{2} \times 12''$; 3 bins $9 \times 12''$; 6 bins $12 \times 12''$.



	1	
Unit 1	No.	190
Price		

	6"	6"	6-	6"	6	6"
10						
4/24						
45 45 45 45						
0						
9						
6						
7/2						
-0-:	1'-(0"	1-	0"	12-	o" ,
1.0						
47%		1-6"			1'-6'	1,
6. 4%		2'-	0"		1-	0"

Shipping Weight, 205 lbs. Contains 24 bins $6 \times 6''$; 24 bins $4\frac{1}{2} \times 6''$; 3 bins $7\frac{1}{2} \times 12''$; 6 bins 12 x 12''; 2 bins $4\frac{1}{2} \times 18''$; 1 bin $6 \times 24''$; 1 bin $6 \times 12''$.



Unit No. 225

Unit No. 220—the one with 162 small bins—has shown to many people how a lot of stock can be carried in a small space. But, there are some who are anxious to get even more parts in a floor space of three square feet.

In response to this demand, we are now prepared to ship this unit with various combinations of drawers. These drawers are arranged in groups of three, fitted into an insert which in turn is bolted to the unit.

Each drawer is 12 inches wide, 12 inches wide, 12 inches front to back and $2\frac{1}{4}$ inches high. Each is divided into twelve spaces, 4 inches wide by 3 inches front to back.

PRICES

Unit 221-C.....\$ 74.20 3 Drawers. Wt. 290 lbs.

Unit 222-CD....\$ 81.20 6 Drawers. Wt. 305 lbs.

Unit 223-BCD....\$ 88.20 9 Drawers. Wt. 320 lbs.

Unit 224-BCDE...\$ 95.20 12 Drawers. Wt. 335 lbs.

Unit 225-ABCDE..\$102.20 15 Drawers. Wt. 350 lbs.

_	6"	6"	6"	6"	6"	6
.9						
4/2						
4/2 4/2 4/2 4/2 4/2						
4/2						
4/2	-		1			
4						
				_		
6						
.6	1'-(o-	150	o"	I÷ C)-
1,0"						٠
4/2	<	1'-6"	-		1'-6"	
6		2:-	0"		1-0)°
10%						



Unit No. 200 Price \$45.60


Shipping Weight, 200 lbs. Contains 12 bins 6 x 6"; 36 bins $4\frac{1}{2}$ x 6"; 4 bins 9 x 12"; 3 bins 12 x 12" 2 bins $4\frac{1}{2}$ x 18"; 1 bin 9 x 24"; 1 bin $10\frac{1}{2}$ x 36".


3-0			
9			
4			
4/2			
4,7			
4/2			
4/2			
100		-	
1/2 4/2 4/2 4/2 4/2 4/2 4/2			
1/2			
4/2/			
4/2 4/2 4/2 4/2			
72		-	
74			
4			
74			
4/2 4/2			
4,74			
9			



Unit No. 210 Price \$38.60

Shipping Weight, 200 lbs. Contains 2 bins $6 \times 36''$; 16 bins $4\frac{1}{2} \times 36''$; Capacity 100-lb. load per shelf.






Unit No. 220 Price \$67.20

Shipping Weight, 275 lbs.

Contains 18 bins 6 x 4"; 144 bins $4\frac{1}{2}$ x 4".


UNIT TYPE SHELVING



Unit No. 710 Price \$54.00

For Pipe Fittings: A steel unit ready to use, for the systematic storage of 6500 fittings. Iron pipe sizes 3/8" to 1". Contains 123 individually indexed compartments.

Shipping weight 245 lbs.




Unit No. 723 Price \$92.00


For Radio or Electrical Parts: Contains 174 compartments including Bins, sub-divided Drawers and Glass Jars. There are 48 eight-oz. Jars and 36 four-oz. Jars, as well as a Card Index Drawer. Shipped assembled, bottles separate. Shipping weight 345 lbs.



Lupton Counter Cabinet

Each drawer is 12 x 12 x 2½" and contains 12 compartments 4" x 3". Convenient for small bolts, nuts, washers, etc. Makes a neat appearance on the counter. Cat. No. 530. Price \$7.00. Shipping weight 19 lbs.





Unit No. 720 Price \$48.00


For Small Tools: Contains 60 compartments 3" wide (48 of them sloping) and 6 drawers $4\frac{1}{2}$ " x 6" x 12". Total 148 compartments each separately indexed.

Shipping weight 240 lbs.

Doors for Units

For protection of valuable supplies or tools, etc., from dust or theft. Shipped assembled. Padlock hasp. Easy to attach.

Cat. No. 456. Price \$21.00. Shipping weight 80 lbs.



Open Shut

PARTS OF UNITS, SHIPPED KNOCKED DOWN WITH NECESSARY BOLTS

Note:—These prices are not to be used as allowances for returned material.

Part	Size	Symbol	List Price	Shipping Weight Pounds
Upright	7' x 1'	LU1	\$3.25	17.
Back	3' x 7'	LB1	5.00	26.
Shelf	36"	LS36	1.45	7.1
4	36"	LS36A	1.65	7.9
44	36"	LS36D	1.80	8.3
Divider	41/2"	LD1	.22	.7
4	6"	LD2	.22	.9
u	71/2"	LD3	.30	1.0
at .	9"	LD4	.30	1.2
4	101/2"	LD5	.35	1.4
4	12"	LD6	.44	1.6
	13 1/2"	LD7	.44	1.7
	15"	LD8	.50	1.9
4	161/2"	LD9	.58	2.1
	18"	LD10	.58	2.3
Bin Front	3" x 36"	LX54	1.00	3.1
4 4	6" x 36"	LX55	1.50	4.5
3 Drawers	12" W x 9" H	LX33-36	7.00	25.

LS36 is standard shelf—load capacity 100 lbs. per shelf. LS36A is standard shelf with 13/4" front—capacity 150 lbs. per shelf. LS36D is reinforced shelf—capacity 300 lbs. per shelf.

UNIT SHELVING IN USE

SMALL items in a hardware stock classified and indexed in Lupton Unit Shelving. The man whose floor space is limited will find Lupton Units a great convenience.

This arrangement shows two units No. 160 each containing 108 compartments, and 1 unit No. 110 containing 60 compartments. Interchangeable units match up with admirable precision.





PIPE fittings carried in Lupton Units compactly and neatly. The steamfitter whose stock room is shown here has a delivery truck equipped with Lupton Units and saves much time on rush jobs. Lupton Shelving Units carry this heavy stock without flinching. Seven sections are shown in this installation, and order and accessibility are plainly evident.

PIPE fittings and plumbing accessories carried for resale. Note the visibility and order-liness of this stock—several hundred items in 9 sq. ft.

A unit of plain shelves and two bin units are shown. The section on the right has a convenient nest of three drawers; bins of various sizes carry the stock most conveniently.



LUPTON DISPLAY TYPE SHELVING

for the Retail Store




Fig. 12

Starting section. Solid ends shown are optional and are not included in the price of the section

MODERN efficiency in classification and display of goods—quick handling, rapid turnover and the reduction of dead stock—are all accomplished for the retail dealer by Lupton Display Shelving.

It's the chain store idea, made available at moderate cost to every retail store using open shelving.

You can set it up, take it down, raise or lower the shelves, put in more shelves or take out some, with nothing more than a wrench or a screwdriver. And if your business is growing the fact that you can adjust your shelving or even dismantle and move it to a new location is worth a lot.

This is the ideal type of shelving where display is to be featured. Light, but strong, trim and good to look at, Lupton Display Shelving enhances the appearance of any retail store where it is used. With shelves 12 inches deep, there's no chance for slow moving articles to be hidden and material at the back can be easily reached.

The finish is a velvet-green enamel. It gives an air of dignity and its soft tone emphasizes the color and variety of the goods on the shelf most effectively.

Starting Sections of Display Shelving are furnished with two End Panels or solid sheets with End Moldings as shown in Fig. 12. Attached at each end of an assembly of whatever length, these panels give the requisite finish necessary to Display Shelving.

Total over all length will be $36\frac{1}{8}$ " (or $24\frac{1}{8}$ ") times the number of Sections used, plus $1\frac{1}{4}$ " for each end molding used. Standard height is 7 ft. including solid base 4". Standard widths 3 ft. and 2 ft. Depth 12". Shelves may be adjusted on $1\frac{1}{2}$ " centers vertically.

Each shelf will carry 300-lb. load evenly distributed.

Two-foot sections are used as fillers to adjust the over-all length. This type of shelving is intended in all cases to be anchored to the wall, holes being punched in triangular plates at the top for lag screws.




Starting section, open ends, and Additional section. End Moldings are furnished only with Starting Sections. End Braces and Back Braces, required only for every fourth Section, are extra.

NO.	DESCRIPTION	PRICE	SHIP. WGT
980R	Starting Section, 3'	\$26.45	114 lbs.
981R	Additional Section, 3'	20.25	98 lbs.
985R	Additional Section, 2'	16.45	88 lbs.
DB20	Solid Back, extra, 3'	5.60	22 lbs.
DB16	Solid Back, extra, 2'	3.90	15 lbs.
DS ₂ R	Shelf, 3' extra or less	2.00	10 lbs.
DS ₅ R	Shelf, 2' extra or less	1.50	8 lbs.
	End Braces, per pair	.40	
	Back Braces, per pair	1.50	
)E ₂	End panel or partition, extra	2.10	14 lbs.

DISPLAY SHELVING IN USE



LUPTON Display Shelving in a hardware and house furnishing store. This type of shelving carries any reasonable load, forms an attractive background for the merchandise which it displays, and practically eliminates maintenance cost.




PHILADELPHIA Paint and Glass Company, Philadelphia. Here Lupton Display Shelving is fully loaded with cans of paint and varnishes. The shelves are adjustable to suit the various heights of the cans. Lupton Steel Store Equipment can be purchased as the business grows and may be uniformly expanded whenever necessary.

LUPTON DISPLAY COUNTER

this Display Counter really shows the goods!

and its working top really works!

A plate glass; top surface of battleship linoleum — neat, efficient and practically indestruct ible. An occasional waxing keeps the linoleum always fresh. The slender lines of the steel construction, with the rich olive green baked enamel finish and solid brass edging make it suitable for use in any store. When Lupton Display Shelving — of the same velvet-green



Note the neat appearance and good display of this hardware stock in Lupton Showcase and Shelving



finish and similar trim lines—stands behind the counter, the effect is attractive and has real merchandising value.

The top won't break like glass, nor dent and splinter like wood. Roll holders for wrapping paper are readily bolted on. The front and ends may be steel plates, instead of glass if storage rather than display is wanted.

Lupton Display Counters are made up in 3-foot sections, with "inside" and "outside" corners as desired. They are shipped knocked down, each unit being crated individually. Clear and simple instructions for erection are furnished with each shipment.

LUPTON DISPLAY COUNTER

Details of construction

TOP: Heavy battleship linoleum cut to fit entire straight run of counter, no matter how many straight units are used. No crosswise joints on the top (except where corner units are used). Easily kept in shape by an occasional waxing.

MOLDING: The green linoleum top is kept in place and effectively set off by a solid brass molding, highly polished.

STANDARDS (Posts): Narrow rolled steel T's, 1" wide do not obstruct display—they enhance it.

DISPLAY SHELVES: There are two of these below the counter, as shown. The bottom shelf is 6" from the floor providing a space for cleaning underneath and to permit circulation of heat. The middle shelf is halfway between the counter and bottom shelf.


STEEL OR GLASS ENDS: When the end

of the counter offers display, provision is made for glass. A solid steel end may be had without additional cost. Unless otherwise specified, ends are arranged for glass.

OPTIONAL STEEL FRONTS: If desired to build an enclosed counter, steel fronts can be supplied at an additional cost. Both glass and steel front units may be combined in one counter when desired.

REAR DOORS: Sliding steel doors with an enamel finish or nickel-lined can be furnished at slight extra cost. These are of the solid type, arranged in pairs, and fitted with stops and rubber bumpers.

CORNER SECTIONS: These are used to build a 90° L and are known as inside and outside corner sections. Diagram illustrates the difference. In ordering please specify plainly whether inside or outside corners are wanted. DIMENSIONS: Height 40" including 6" sanitary base. Depth 24". Length 3 ft. per section, which means that over-all length will be in multiples of 3 ft. (See Diagram.)



Cat. No. Prices List Shipping Price Weight 972 End Unit-Arranged for Glass Front and End. \$32.50 115 lbs. 971 End Unit-Arranged for Glass Front and with Steel End. 32.50 115 lbs. 970 Intermediate Unit arranged for glass front. 27.00 95 lbs. 789 Steel Doors (including runways) per pair. 8.20 25 lbs. 792 Nickel Lined Doors (including runways) per pair. 13.60 32 lbs. 790 Door Stops—state number of pair required. Included above 880 Corner Units. 27.00 95 lbs. 791 Steel Fronts—For End or Intermediate Units. 4.00 18 lbs. 883 Steel Fronts—For Corner Units. 4.00 18 lbs. 785 Steel Partitions—For use between Units. 2.00 11 lbs. 977* Single Unit-Arranged for Glass Front and Glass or steel ends. 38.00 130 lbs.

*This unit (No. 977) is a complete 3 ft. counter and cannot be used with other units.

NOTE: Glass prices are omitted owing to the wide variations for different localities and frequent changes. You can save freight charges, packing expense and risk of breakage by purchasing locally. Glass is \(\frac{1}{4} \) inch plate. Size of front glass, \(35\)\(\frac{3}{4} \) inches by \(32 \) inches. End glass, \(19 \) inches by \(32 \) inches. Outside corner glass, \(32\)\(\frac{5}{16} \) inches by \(32 \) inches.

Instructions For Ordering

Each unit shown in the price list contains the top, bottom and center intermediate shelves, uprights, glass supports, linoleum (cut the length of the entire run) brass molding and joint covers.


Steel fronts, doors, glass for fronts or ends, steel

partitions, and steel backs for inside corner units are not included in the unit price.

If steel ends are desired, be sure to specify them on the order. If no ends are specified, the counter will be shipped with the necessary provision for glass ends.

To prevent mistakes, particularly when corner units are included, send a rough sketch of layout indicating salesman's and customer's sides. Each installation (except a 3-foot section No. 977), must contain two end units.

LUPTON FACTORY EQUIPMENT



Lupton Bench Leg No. 520

Made from pressed steel with all parts die-formed and welded together. Top and feet are broadly flared, providing stability without cross-bracing. A strong construction for heavy duty.

Height 31" without top. From front to back 23½ in. Extension increases depth 5".

Price \$4.70. Shipping weight 25 lbs.
Extension, Cat. No. 526, \$0.25. Shipping weight 2 lbs.



Lupton Factory Desk

Ruggedly made for hard wear but smoothly finished. Full width drawer with cylinder lock. Top is reinforced and hood contains pen holder on each side. Widely used by Foremen, Timekeepers, Shipping Clerks, etc.


Width 36"; height 43½ "at front, 52" at back; depth 28". Finish—high grade baked green enamel.

Cat. No. 499. Price \$38.40. Shipping weight 150 lbs.



Bench Leg No. 525

Made from T-Bars of rolled steel with riveted joints. These bench legs are low in price but high in serviceability being amply rigid and strong for general use. Height 31 inches. Take a top 28 inches deep. Price \$3.50. Shipping weight, 20 lbs.



Bench Drawer and Tray

A substantial steel drawer for tools, blue prints, etc. Easily attached to any bench top. Drawer slides on runners and has stop. Good cylinder lock. Two sizes. Ship.

LOUII.	2 110 01400.	onip.
Cat.		wt.,
No.	Price	lbs.
512	14" x 5" x 18"\$6.10	15
	14" x 6" x 24" 7.50	22
519	Tray extra50	2




Lupton Tool Cabinet

Provides safety and orderliness for tools, etc. Welded construction. Shipped erected. Shelves are adjustable. Good cylinder lock. Size 36" high, 24" wide, 16" deep.

Cat. No. 496. Price \$25.20. Shipping weight 90 lbs.

LUPTON FACTORY EQUIPMENT



Lupton Pipe and Bar Racks

-for bar metals, shafting, pipe, conduit, etc.

Each rack is a tapering stand with nine pairs of arms projecting 8" on each side. Strong angle-iron construction, riveted and welded. Will carry practically any load that may be placed on it. Easily loaded.

Dimensions: Base 22 x 22"; height 7 ft. Floor space 23 x 38". Shipped completely assembled.

Price, each \$27.00. Shipping weight 110 lbs. Cat. No. 863.

Wardrobe and Storage Cabinets



Storage Cabinet. Convenience, protection, security.



Wardrobe Cabinet. Locker accommodations for several persons.

Handsomely finished, strongly built cabinets for office, factory or store. Doors have 3-point locking device and master-keyed cylinder lock.

Wardrobe Cabinet has one shelf and coat hanger rod.

Storage Cabinet has five adjustable shelves.

Outside dimensions: 6 ft. 3 in. high, including solid base, 3 ft. wide, 18 in. deep. Finished in baked green enamel. Shipped set up.

Cat. No. 1076. Storage Cabinet....\$48.00 Shipping weight 195 lbs. Cat. No. 1077. Wardrobe Cabinet... 48.00 Shipping weight 225 lbs.

Junior Office Cabinet



A smoothly finished little desk companion for executive or stenographer. Carries stationery, office forms, dictating cylinders, private belongings, etc. Top relieves a crowded desk of many items. Good cylinder lock. Finished in baked green enamel.


24" wide, 36" high, 16" deep.

Cat. No. 496. Price—\$25.20. Shipping weight 90 lbs.

FOR EFFICIENT STORAGE



Shelving carrying line and construction materials for a public utilities corporation. Not the least advantage of steel bins is a saving effected in insurance rates. This stock, if housed in wooden bins, would be burdened with a high insurance rate even though in a fire-proof building.



GOODMAN & Dessauer, New York City. Fine quality laces in boxes are stored in Lupton Rack Type Shelving. Whether the material be heavy or light, Lupton Steel Shelving can be used to excellent advantage.


FOR SELLING DISPLAY

CUPTON Display Shelving and Showcase are not only rigid and sturdy enough to meet the needs of the hardware store but of so refined an appearance that they fit nicely into the art store shown below. Lupton Steel Equipment may be used to advantage in almost any type of retail store.

The modern retail merchant realizes the value of display as a means of merchandising, and the demand for Lupton Steel Shelving and Display Counter as a sales accelerator is constantly increasing. Lupton Display Shelving is more than just shelving, because of its permanence and ability to withstand rough usage. Its velvet-green enamel finish lends itself to any surroundings and, with stock kept orderly, it "makes the store."

The picture at the right shows Lupton Steel Display Shelving in a hardware store. It ties up with the Lupton Showcase, which displays the stock to the customer.





CHIPP, Inc., importers of general merchandise, New York City. Lupton Display Shelving and Display Counter are used in this attractive show room, and aid materially in this company's merchandising. Another one of the many types of users of Lupton Steel Equipment.

NEATNESS IS "BUILT-IN."


THE ELECTRICAL TRADE finds every need provided for in Lupton Equipment. Fixtures, Appliances and Radio are nicely displayed on Lupton Shelving and in Lupton Showcase. Lamps and packaged goods are carried on Lupton Rack Type or Bin Type Shelving; Wiring supplies and fittings are indexed and stored in Lupton Units; Conduit of different sizes and types on the Lupton Bar Rack.


An electrical business, whether it be contracting or merchandising, or both, to keep abreast of the times, needs careful, orderly storage of materials as well as a trade-inviting "front." The Lupton-equipped shop or store has both. It sells more goods with a lower investment and at less expense.





WO views of the salesroom of Pettingell-Andrews Co., electrical distributors, Boston, Mass., showing the excellent display afforded by Lupton Steel Shelving and Showcase.





[BLANK PAGE]



